

CALIFORNIA DEPARTMENT OF FORESTRY & FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL  
FIRE ENGINEERING - BUILDING MATERIALS LISTING PROGRAM



# LISTING SERVICE

**LISTING No.** 2160-2170:0100 Page 1 of 1

**CATEGORY:** 2160 -- BUILDING UNITS

**LISTEE:** Ectek International, Inc. 49 Mossgrove Trail, North York, Ontario M2L 2W2 Canada  
Contact: Wenyi Zhang (416) 564-4617 Fax (416) 498-0432  
Email: wzhang@armoroc.ca

**DESIGN:** Armoroc fiber cement panels in size 4' X 8' X 3/4". Refer to listee's data sheet for additional detailed product description and operational considerations.

**RATING:** Flame Spread 0  
Smoke Developed 0

**INSTALLATION:** In accordance with listee's printed installation instructions, applicable codes and ordinances and in a manner acceptable to the authority having jurisdiction

**MARKING:** Listee's name, model number and UL label.

**APPROVAL:** Listed as fiber cement panel unit as described in the description section above. Refer to listee's Installation Instruction Manual for details.

01-14-15 gt



This listing is based upon technical data submitted by the applicant. CSFM Fire Engineering staff has reviewed the test results and/or other data but does not make an independent verification of any claims. This listing is not an endorsement or recommendation of the item listed. This listing should not be used to verify correct operational requirements or installation criteria. Refer to listee's data sheet, installation instructions and/or other

Date Issued: **September 15, 2014**

Listing Expires **June 30, 2015**

Authorized By: **JAMES PARSESIAN, Program Coordinator**  
*Fire Engineering Division*